U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

| Substitute for form 1449A/PTO  |   | Application Number | Unknown 12 10 10 2 1 | L d                  |                          |       |
|--------------------------------|---|--------------------|----------------------|----------------------|--------------------------|-------|
|                                |   |                    |                      | Filing Date          | Herewith                 |       |
|                                | - | ION DISCLO         |                      | First Named Inventor | Wang                     | 20.00 |
| :                              |   | NT BY APPLI        |                      | Group Art Unit       | Unknown 1763             | 50    |
| (use as many sheets necessary) |   |                    | ary)                 | Examiner Name        | Unknown Reserve Constant | 228   |
| SHEET                          | 1 | OF                 | 6                    | Docket Number        | LIGHT1900-2 (LIGHT1901)  | 0<br> |
|                                |   |                    |                      |                      |                          | כל    |

|                       | Cite No.1 | U.S. Patent | Document                             | Name of Patentee or Applicant | Date of Publication          | Pages, Columns, Lines, Where                    |
|-----------------------|-----------|-------------|--------------------------------------|-------------------------------|------------------------------|---|
| Examiner<br>Initials* |           | Number      | Kind Code <sup>2</sup><br>(If known) | of Cited Document             | of Cited Document MM-DD-YYYY | Relevant Passages or Relevant<br>Figures Appear |
| Ke                    | 1         | 4,618,210   |                                      | Kondo                         | 10-21-1986                   |   |
| ,                     | 2         | 4,747,654   |                                      | Yi-Yan                        | 03-31-1988                   |   |
| 1                     | 3         | 4,813,757   |                                      | Sakano et al.                 | 03-21-1989                   |   |
|                       | 4         | 4,846,542   |                                      | Okayama                       | 07-11-1989                   |   |
|                       | 5         | 5,002,350   |                                      | Dragone                       | 03-26-1991                   |   |
|                       | 6         | 5,013,113   |                                      | Soref                         | 05-07-1991                   |   |
| 1                     | 7         | 5,039,993   |                                      | Dragone                       | 08-13-1991                   |   |
|                       | 8         | 5,243,672   |                                      | Dragone                       | 09-07-1993                   |   |
|                       | 9         | 5,412,744   |                                      | Dragone                       | 05-02-1995                   |   |
|                       | 10        | 5,450,511   |                                      | Dragone                       | 09-12-1995                   |   |
| 1                     | 11        | 5,467,418   |                                      | Dragone                       | 11-14-1995                   |   |
|                       | 12        | 5,581,643   |                                      | Wu                            | 12-03-1996                   |   |
| 7                     | 13        | 5,706,377   |                                      | Li                            | 01-06-1998                   |   |
|                       | 14        | 5,841,931   |                                      | Foresi et. al.                | 11-24-1998                   |   |
|                       | 15        | 5,938,811   |                                      | Greene                        | 08-17-1999                   |   |
|                       | 16        | 6,108,478   |                                      | Harpon et al.                 | 08-22-2000                   |   |
|                       | 17        | 6,118,909   |                                      | Chen et al.                   | 09-12-2000                   |   |

## FOREIGN PATENT DOCUMENTS Foreign Patent Document Date of Publication Pages, Columns, Lines, Name of Patentee or Applicant Examiner Cite of Cited Document Where Relevant Passages Kind Code5 Initials\* No.1 Office3 Number of Cited Document or Relevant Figures Appear MM-DD-YYYY (If known) EPO 0647861A1 AT&T Corp 12.04.1995 18 19 EPO 0985942A2 Lucent Technologies, Inc. 15.03.2000 20 Oki Electric Ind. Co. Ltd. 12.7.1990 2-179621 Japan 21 6-186598 Hitachi Ltd. 8.7.1994 Japan 22 Japan 63-197923 NEC Corp. 16.8.1988

| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS |              |   |    |  |  |  |  |
|---|--------------|---|----|--|--|--|--|
| Examiner Initials*                                | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T6 |  |  |  |  |
| I K   | 23           | ABE, et al., Optical Path Length Trimming Technique using Thin Film Heaters for Silica-Based Waveguides on Si, Electronics Letters, September 12, 1996, Vol. 32-No. 19, pp. 1818-1820.  |    |  |  |  |  |
|   | 24           | ALBERT, J., Planar Fresnel Lens Photoimprinted in a Germanium-Doped Silica Optical Waveguide, Optics Letters, May 15, 1995, Vol. 20-No. 10, pp 1136-1138  |    |  |  |  |  |
|   | 25           | AMAN, M.C., Calculation of Metal-Clad Ridge-Waveguide (MCRW) Laser Modes by Mode Coupling Technique, Journal of Lightwave Technology, VOL LT-4, No.6, June 1986, pg 689-693   |    |  |  |  |  |

| Examiner Signature | Robert & albert | Date Considered | 11/06/07 |
|--------------------|-----------------|-----------------|----------|

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.


|              |                                |              |                    | !                    | COMPLETE IF KNOWN       |  |
|--------------|--------------------------------|--------------|--------------------|----------------------|-------------------------|--|
| Substitute f | Substitute for form 1449A/PTO  |              | Application Number | Unknown              |                         |  |
|              | WEODMAT!                       | 011 DIOOL 00 | NUDE.              | Filing Date          | Herewith                |  |
|              | INFORMATI                      |              |                    | First Named Inventor | Wang                    |  |
|              | STATEMEN                       |              |                    | Group Art Unit       | Unknown                 |  |
|              | (use as many sheets necessary) |              |                    | Examiner Name        | Unknown                 |  |
| SHEET        | 2                              | OF           | 6                  | Docket Number        | LIGHT1900-2 (LIGHT1901) |  |

|                    |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |    |
|--------------------|--------------|---|----|
| Examiner Initials* | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Ţ6 |
| R                  | 26           | AMANN, M.C. et al, Calculation Of The Effective Refractive-Index Step For The Metal-Cladded-Ridge-Waveguide Laser, Applied Optics, VOL 20. No.8, Apr 15 1981, pg 1483-1486  |    |
| ,                  | 27           | BABA, S. et al., A Novel Integrated-Twin-Guide (ITG) Optical Switch with a Built-in TIR Region; IEEE Photonics Technology Letters; VOL 4, No.5, May 1992, pg 486-488  |    |
|                    | 28           | BENSON, T.M., Etched-Wall Bent-Guide Structure for Integrated Optics in the III-V Semiconductors; Journal of Lightwave Technology, VOL LT-2, No.1, Feb 1984; pg 31-34   |    |
|                    | 30           | BERRY, G.M. et al., Analysis Of Multiplayer Semiconductor Rib Waveguides With High Refractive Index Substrates, Electronics Letters; VOL 29, No.22; Oct 28 1993, pg 1941-1942   |    |
|                    | 31           | BETTY, I. et al., A Robust, Low-Crosstalk, InGaAsP/InP Total-Internal-Reflection Switch For Optical Cross-Connect Application   |    |
|                    | 32           | BURKE, S.V., Spectral Index Method Applied to Coupled Rib Waveguides; Electronics Letters, VOL 25, No.9, Apr 27 1989, pg 605-606  |    |
|                    | 33           | BURNS, W.K. et al., Mode Conversion in Planar-Dielectric Separating Waveguides; IEEE Journal of Quantum Electronics, VOL QE-11, No.1, Jan 1975; pg 32-39  |    |
|                    | 34           | CAI, Y. et al., A Novel Three-Guide Optical Coupler Using A Taper-Formed Waveguide; j. Appl. Phys 69(5), Mar 1991; pg 2810-2814   |    |
| ··-· •             | 35           | CAVAILLES, J.A. et al., First Digital Optical Switch Based on InP/GalnAsP Double Heterostructure Waveguides; Electronics Letters, VOL 27, No.9, Apr 25 1991, pg 699-700   |    |
| · · · · •          | 36           | CHEN, R.T. et al., Design and Manufacturing of WDM Devices; Proceedings of SPIE VOL 3234  |    |
| ·                  | 37           | CLEMENS, et al., Wavelength-Adaptable Optical Phased Array in SiO <sub>2</sub> -Si, Photonics Technology Letters, October 1995, Vol. 7-No 10, 1040-1041.  |    |
|                    | 38           | DAGLI, N. et al., Analysis of Rib Dielectric Waveguides; IEEE Journal of Quantum Electronics, VOL QE-21, No.4, Apr 1985, Pg 315-321   |    |
|                    | 39           | DAGLI, N. et al., Theoretical and Experimental Study of the Analysis and Modeling of Integrated Optical Components; IEEE Journal of Quantum electronics, VOL 24, No.11, November 1988; pg 2215-2226   |    |
|                    | 40           | DERI, R.J., et al., Low-Loss GaAs/AlGaAs Waveguide Phase Modulator Using A W- Shaped Index Profile; Sep 6 1988  |    |
|                    | 41           | DERI, R.J., et al., Low-Loss Multiple Quantum Well GalnAs/InP Optical Waveguides, Feb 21, 1989  |    |
|                    | 42           | DEVAUX, F. et al., 20Gbit/s Operation of a High-Efficiency InGaAsP/InGaAsP MQW Electroabsorption Modulator With 1.2-V Drive Voltage; IEEE Photonics Technology Letters, VOL 5, No.11, Nov 1993, pg 1288-1290  |    |
| • "                | 43           | DOERR, C.R. et al., Chirping Of The Waveguide Grating Router For Free-Spectral-Range Mode Selection In The Multifrequency Laser, IEEE Photonics Technology Letters, April 1996, Vol. 8-No. 4, pp 500-502  |    |
|                    | 44           | DOERR, C.R. et al., Chromatic Focal lane Displacement in the Parabolic Chirped Waveguide Grating Router, May 1997, Vol. 9-No. 5, pp 625-627   |    |
|                    | 45           | DRAGONE, c. Efficient NxN Star Couplers Using Fourier Optics, pp 479-48, March 1989, Vol. 7-No. 3, Journal of Lightwave Technology  |    |
|                    | 46           | FISCHER, et al., Singlemode Optical Switches Based on SOI Waveguides with Large Cross-Section, Electronics Letters, March 3, 1994, Vol. 30-No.5, pp. 406-408.   |    |
| +-                 | 47           | FISCHER, K. et al, Sensor Application Of SiON Integrated Optical Waveguides On Silicon; Elevier Sequoia, 1992; pg 209-213   |    |
|                    | 48           | FISH, G. et al., Monolithic InP Optical Crossconnects: 4x4 and Beyond, JWB2-1, Pg 19-21   | -  |
|                    | 49           | FURUTA, H. et al, Novel Optical Waveguide For Integrated Optics, Applied Optics, VOL. 13, NO. 2, Feb. 1974, pg. 322-326   |    |
|                    | 50           | GINI, E. et al., Low Loss Self-Aligned Optical Waveguide Corner Mirrors in InGaAsP/InP, We P2.22  |    |
|                    | 51           | GOEL, K. et al Design Considerations for Low Switching Voltage Crossing Channel Switches; Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 881-886   |    |

| xaminer Signature R. L. 1 12 C. 11 of | Date Considered | 11/40 (07 |
|---------------------------------------|-----------------|-----------|
|---------------------------------------|-----------------|-----------|

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.



Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

|   |   |             |      |                      | COMPLETE IF KNOWN       |
|---|---|-------------|------|----------------------|-------------------------|
| Substitute for form 1449A/PTO INFORMATION |   | ro o        |      | Application Number   | Unknown                 |
|   |   |             |      | Filing Date          | Herewith                |
|   |   |             |      | First Named Inventor | Wang                    |
|   |   | NT BY APPLI |      | Group Art Unit       | Unknown                 |
| (use as many sheets necessary)            |   |             | ary) | Examiner Name        | Unknown                 |
| SHEET                                     | 3 | OF          | 6    | Docket Number        | LIGHT1900-2 (LIGHT1901) |

|                    |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |    |
|--------------------|--------------|---|----|
| Examiner Initials* | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Ţ6 |
| £c                 | 52           | GRANESTRAND, P. et al., Integrated Optics 4x4 Switch Matrix with Digital Optical Switches; Electronics Letters, VOL 26, No.1, Jan 4, 1990; pg 4-5   | ]  |
| i                  | 53           | HIMENO, A. et al., Loss Measurement and Analysis of High-Silica Reflection Bending Optical Waveguides, Journal of Lightwave Technology, January 1988, Vol. 6-No. 1, 41-46.  |    |
|                    | 54           | HSU, K.Y. et al., Photonics devices and Modules, www.cc.nctu.edu.tw/~ctr/lee_mti/research_topic/photonic_devices_modules.htm, pp 1-3.   |    |
|                    | 55           | HUANG, T.C. et al., Depletion Edge Translation Waveguide Crossing Optical Switch; IEEE Photonics Technology Letters; VOL 1, No.7, Jul 1989, pg 168-170  |    |
|                    | 56           | HUTCHESON, L.D. et al., Comparison of Bending Losses in Integrated Optical Circuits; Optics Letters, VOL 5, No.6, Jun 1980, pg 360-362  |    |
|                    | 57           | INOUE, H. et al, Low Loss GaAs Optical Waveguides, Journal of Lightwave Technology, VOL LT-3, No.6, Dec. 1985; pg 204-209   |    |
|                    | 58           | IRACE, A. et al., Fast Silicon-on-Silicon Optoelectronic Router Based on a BMFET Device, Journal of Selected Topics in Quantum Electronics, January/February 2000, Vol. 6-No. 1, pp. 14-18.   |    |
|                    | 59           | ITO, F. et al., Carrier-Injection-Type Optical Switch In GaAs With A 1.06-1.55 μm Wavelength Range; Appl. Physics Letters, 54(2) Jan 9, 1989; pg 134-136  |    |
|                    | 60           | JACKMAN, N. et al., Optical Cross Connects for Optical Networking, Bell Labs Technical Journal, Jan-Mar. 1999; pg 262-281   |    |
|                    | 61           | JOHNSTON, I.R., et al., Silicon-Based Fabrication Process For Production Of Optical Waveguides; IEE Proc-Optoelectron., VOL 143. No.1. Feb 1996, pg 37-40   |    |
|                    | 62           | KAENKO, A. et al., Athermal Silica-based Arrayed-waveguide Grating (AWG) Multiplexers with New Low Loss Groove Design; TuO1-1, pg 204-206   |    |
|                    | 63           | kASAHARA, R. et al., Low-Power Consumption Slica-Based 2x2 Thermooptic Switch Using Trenched Silicon Substrate, IEEE Photonics Technology Letters, VOL 11, No. 9, Sep 1999, pg 1132-1134  |    |
|                    | 64           | KHAN, M.N. et al., Fabrication-Tolerant, Low-Loss, and High-Speed Digital Optical Switches in InGaAsP/InP Quantum Wells; Proc 21st Eur.Conf.on Opt.Comm.(ECOC '95-Brussels), pg 103-106   |    |
|                    | 65           | kHAN, M.N. et al., High-Speed Operation of Quantum Well Electron Transfer Digital Optical Switches; pg 102-102c   |    |
|                    | 66           | KIRIHARA, T. et al., Lossless And Low Crosstalk 4x4 Optical Switch Array; Electronics And Communications In Japan, Part 2, VOL 77, No.11, 1994, pg 73-81  |    |
|                    | 67           | KIRIHARA, T. et al., Lossless and Low-Crosstalk Characteristics in an InP-Based 2x2 Optical Switch, IEEE Photonics Technology Letters, VOL 5, No. 9 Sept 1993, pg 1059-1061   |    |
|                    | 68           | KOKUBUN, Y. et al., Athermal Waveguides for Temperature-Independent Lightwave Devices, November 1993, 1297-1298, Vol. 5-NO. 11, IEEE Photonics Technology Letters.  |    |
|                    | 69           | KOKUBUN, Y. et al., Temperature-Independent Narrowband Optical Filter at 1.3 μm Wavelength by an Athermal Waveguide, 10th October 1996, Vol. 32-No. 21, Electronics Letters   |    |
|                    | 70           | KOKUBUN, Y. et al., Temperature-Independent Optical Filter at 1.55 µm Waveguide Using a Silica-Based Athermal Waveguide, 19 February 1998, Vol. 34-No. 4, Electronics Letters   |    |
|                    | 71           | KOKUBUN, Y. et al., Three-Dimensional Athermal Waveguides for Temperature Independent Lightwave Devices, 21st July 1994, Vol. 30-No. 15, Electronics Letters  |    |
|                    | 72           | KOSTRZEWA, C. et al., <i>Tunable Polymer Optical Add/Drop Filter for Multiwavelength Networks</i> , Photonics Technology Letters, November 1997, Vol. 9-No. 11, 1487-1489.  |    |
|                    | 73           | LAAKMAN, K. D. et al., Waveguides: Characteristic Modes Of Hollow Rectangular Dielectric Waveguides; Applied Optics, VOL 15, No. 5, May 1976; pg 1334-1340.   |    |

| Examiner Signature Fold to aller | Date Considered // 3. / 6. |
|----------------------------------|----------------------------|
|----------------------------------|----------------------------|

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

|                |  |              |                    | COMPLETE IF KNOWN    |                         |  |  |
|----------------|--|--------------|--------------------|----------------------|-------------------------|--|--|
| Substitute for | Substitute for form 1449A/PTO                |              | Application Number | Unknown              |                         |  |  |
|                | INFORMATION DISCLOSURE                       |              |                    | Filing Date          | Herewith                |  |  |
| •              |  |              |                    | First Named Inventor | Wang                    |  |  |
| ,              | •  | NT BY APPLIC |                    | Group Art Unit       | Unknown                 |  |  |
|                | (use as many sheets necessary)  SHEET 4 OF 6 |              |                    | Examiner Name        | Unknown                 |  |  |
| SHEET          |  |              |                    | Docket Number        | LIGHT1900-2 (LIGHT1901) |  |  |

|                    |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |    |
|--------------------|--------------|---|----|
| Examiner Initials* | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Те |
| ŔC                 | 74           | LEE, T.P. et al., Al, Ga1, As Double-Heterostructure Rib-Waveguide Injection Laser, IEEE Journal of Quantum Electronics; VOL QE-11, No.7, July 1975; pg 432-435   |    |
| }                  | 75           | LIU, Y.L. et al., Silicon 1x2 Digital Optical Switch Using Plasma Dispersion; Electronics Letters, VOL 30, No.2, Jan20, 1994; pg 130-131  |    |
|                    | 76           | MAK, G. et al., High-Speed Bulk InGaAsP-InP Electroabsorption Modulators with Bandwidth in Excess of 20 GHz, IEEE Photonics Technology Letter, VOL 2, No.10, Oct 1990, pg 730-733   |    |
|                    | 77           | MARCATILI, E., Improved Coupled-Mode Equations for Dielectric Guides; IEEE Journal of Quantum Electronics, VOL QE-22, No.6, June 1986; pg 988-993   |    |
|                    | 78           | MARCATILI, E.A.J., Bends in Optical Dielectric Guides; The Bell System Technical Journal, Sep 1969; pg 2103-2132  |    |
| I<br>              | 79           | MARCATILI, E.A.J., Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics, The Bell System Technical Journal, Sept 1969 pg 2071-2101  |    |
|                    | 80           | MARCATILI, E.A.J., Slab-Coupled Waveguides; The Bell System Technical Journal, April 1974; American Telephone & Telegraph Company, VOL 53, No.4, April 1974   |    |
|                    | 81           | MIRZA, A.R. et al, Silicon Wafer Bonding For MEMS Manufacturing, Solid State Technology, Aug 1999, pg 73-78   |    |
|                    | 82           | MOERMAN, I. et al., A Review on Fabrication Technologies for the Monolithic Integration of Tapers with III-V Semiconductor Devices; IEEE Journal of Selected Topics in Quantum electronics, VOL 3, No.6, Dec. 1997, pg 1308-1320                              |    |
|                    | 83           | MÜLLER, G. et al., First Low Loss InP/InGaAsP Optical Switch with Integrated Mode Transformers; ThC12.10; Pg 37-40  |    |
|                    | 84           | NAYYER, J. et al., Analysis of Reflection-Type Optical Switches with Intersecting Waveguides, Journal of Lightwave Technology, VOL 6, No.6, June 1988; pg 1146-1152   |    |
|                    | 85           | NEGAMI, t. et al., Guided-Wave Optical Wavelength Demultiplexer Using An Asymmetric Y Junction; Appl. Phys. Lett. 54 (12), Mar 20, 1989; pg 1080-1082   |    |
|                    | 86           | NELSON, W. et al., Optical Switching Expands Communications-Network Capacity, Laser Focus World, Jun 1994, pg 517-520   |    |
|                    | 87           | NELSON, W.H. et al., Wavelength-and Polarization-Independent Large Angle InP/InGaAsP Digital Optical Switches with Extinction Ratios Exceeding 20 dB; IEEE Photonics Technology Letters, VOL 6, No.11, Nov. 1994; pg 1332-1334                                |    |
|                    | 88           | NODA, Y. et al., High-Speed Electroabsorption Modulator with Strip-Loaded GalnAsP Planar Waveguide; Journal of Lightwave Technology, VOL LT-4, No.10, Oct 1986, pg 1445-1453  |    |
|                    | 89           | OFFREIN, B.J. et al., Resonant Coupler-Based Tunable Add-After-Drop Filter in Silicon-Oxynitride Technology for WDM Networks, Journal of Selected Topics in Quantum Electronics, Vol. 5-No. 5, 1400-1405.   |    |
|                    | 90           | OKAMOTO, K. et al., Arrayed-Waveguide Grating Multiplexer With Flat Spectral Response; Optics Letters, Jan 1 1995; VOL 20, No.1; Pg 43-45   |    |
|                    | 91           | OKAMOTO, K. et al., Flat Spectreal Response Arrayed-Waveguide Grating Multiplexer with Parabolic Waveguide Horns, Electronics Letters Online, July 15, 1996, No. 19961120, pp. 1661-1662.   |    |
|                    | 92           | OKAYAMA, H. et al., 8x8 Ti:LiNbO₃ Waveguide Digital Optical Switch Matrix; IEICE Trans. Commun.; VOL E77-B, No.2; Feb. 1944; pg 204-208   |    |
|                    | 93           | OKAYAMA, H. et al., <u>Dynamic Wavelength Selective Add/Drop Node Comprising Tunable Gratings, Electronics Letters Online</u> , April 10, 1997, No. 19970607.   |    |
|                    | 94           | OKAYAMA, H. et al., Reduction of Voltage-Length Product for Y-Branch Digital Optical Switch, Journal of Lightwave Technology, VOL 11, No.2, Feb 1993; pg 379-387  |    |
|                    | 95           | OKUNO. M. et al., Strictly Nonblocking 16x16 Matrix Switch Using Silica Based Planar Lightwave Circuits, VOL 10, No.266, Sep 11, 1986   |    |
|                    | 96           | OOBA, N. et al., Athermal Silica-Based Arrayed-Waveguide Grating Multiplexer Using Bimetal Plate Temperature Compensator, Electronics Letters, 12th October 2000, Vol. 36, No. 21, pp 1800-1801   |    |

| Examiner Signature Relate 19 White Date Considered 11/30/127 |
|--|
|--|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered include copy of this form with next communication to applicant.

<sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

|                |                 |                   | ,     |                      | COMPLETE IF KNOWN       |  |
|----------------|-----------------|-------------------|-------|----------------------|-------------------------|--|
| Substitute for | r form 1449A/P1 | го                |       | Application Number   | Unknown                 |  |
|                |                 |                   |       | Filing Date          | Herewith                |  |
| -              |                 | TION DISCLO       |       | First Named Inventor | Wang                    |  |
| ,              |                 | NT BY APPLI       |       | Group Art Unit       | Unknown                 |  |
|                | (use as m       | any sheets necess | iary) | Examiner Name        | Unknown                 |  |
| SHEET          | . 5             | OF                | 6     | Docket Number        | LIGHT1900-2 (LIGHT1901) |  |

|                    |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |    |
|--------------------|--------------|---|----|
| Examiner Initials* | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Le |
| KC                 | 97           | RENAUD, M. et al., Compact Digital Optical Switches for Low Insertion Loss Large Switch Arrays on InP; Proc. 21st Eur.Conf.on Opt. Comm. (ECOC '95-Brussels), pg 99-102   |    |
| 1                  | 98           | RICKMAN, A.G. et al., Silicon-on-Insulator Optical Rib Waveguide Loss and Mode Characteristics, Journal of Lightwave Technology, October 1994, Vol. 12-No. 10, pp 1771-1776   |    |
|                    | 99           | ROLLAND, C. et al., 10 Gbit/s, 1.56 μm, Multiquantum Well InP/InGaAsP Mach-Zehnder Optical Modulator, Electronics Letters, Mar 4, 1993, VOL 29, No.5, pg 471-472  |    |
|                    | 100          | Santec Sales Brochure for year 2000 entitled "Optical Components"   |    |
|                    | 101          | SCHAUWECKER, B. et al, Small-Size Silicon-Oxynitride AWG Demultiplexer Operating Around 725 nm, IEEE Photonics Technology Letters, Vol. 12 No. 12, December 2000  |    |
|                    | 102          | SCHLACHETZKI, A. Monolithic IO-Technology-Modulators and Switches Based on InP; SPIE VOL 651 Integrated Optical Circuit Engineering III (1986), pg 60-86  |    |
|                    | 103          | SILBERBERG, Y. et al., Digital Optical Switch; Appl. Phys. Lett.; VOL 51, No.16, Oct 19, 1987, pg 152-154   |    |
|                    |              | SMIT, M.K., New Focusing and Dispersive Planar Component Based on an Optical Phased Array;  |    |
|                    | 104          | Electronics Letters; Mar 31, 1988, VOL 24, No.7; Pg 385-386   |    |
|                    | 105          | SMITH, S.D. et al., CW Operation of Corner Cavity Semiconductor Lasers; IEEE Photonics Technology Letters, VOL 5, No.8, Aug 1993; pg 876-879  |    |
|                    | 106          | SNEH, A. et al., Compact Low Crosstalk and Low Propagation Loss Quantum-Well Y-Branch Switches; PDP 4-1 ~ 4-5   |    |
|                    | 107          | SOOLE, J.B.D. et al., Use of Multimode Interference Couplers to Broaden the Passband of Wavelength-Dispersive Integrated WDM Filters; IEEE Photonics Technology Letters, VOL 8, No.10, Oct 1996; pg 1340-1342   |    |
|                    | 108          | STOLL, L. et al., 1:8 Optical Matrix Switch on InP/InGaAsP with Integrated Mode Transformers; Optical Switches and Modulators II, pg 531-534  |    |
|                    | 109          | STOLL, L. et al., Compact and Polarization Independent Optical Switch on InP/InGaAsP; TuB7.2; pg 337-340  |    |
| ·                  | 110          | STUTIUS, W. et al, Silicon Nitride Films On Silicon For Optical Waveguides, Applied Optics, VOL 16, No.12, Dec 1977, pg 303-307   |    |
|                    | 111          | SUGIE, T. et al.,1.3-µm Laser Diodes with a Butt-jointed Selectively Grown Spot-Size Converter, ThB2-6, IOOC95, pg 52-53  |    |
| ,                  | 112          | TADA, K. et al., Bipolar Transistor Carrier-Injected Optical Modulator/Switch: Proposal and Analysis, IEEE Electron Device Letters, VOL EDL-7, No.11, Nov 1986, pg 605-606  |    |
|                    | 113          | TAKADA, et al., Optical Spectrum analyzer using Cascaded AWG's with Different Channel Spacings, Photonics Technology Letters, July 1999, Vol. 11, No. 7, pp. 863-864.   |    |
|                    | 114          | TAKAHASHI, H. et al., Arrayed Waveguide Grating for Wavelength Division Multi/Demultilexer with Nanometre Resolution, PWG-NTT-7   |    |
|                    | 115          | TAKIGUCHI, K. et al, Dispersion Compensation Using a Planar Lightwave Circuit Optical Equalizer, Photonics Technology Letters, April 1994, Vol. 6, No. 4, pp. 561-564.  |    |
|                    | 116          | TIEN, P.K. et al., Formation of Light-Guiding Interconnections in an Integrated Optical Circuit by Composite Tapered-Film Coupling; Applied Optics, VOL 12, No. 8, Aug 1973; pg 1909-1916   |    |
|                    | 117          | TOYODA et al., Thermoplastic Switch and Wavelength Tunable Filter using Polymer Waveguides, Abstract of paper presented at Opticomm 2001 on August 22, 2001.  |    |
|                    | 118          | TREYZ, G.V. et al., Silicon Optical Modulators at 1.3 µm Based on Free-Carrier Absorption; IEEE Electron Device Letters, VOL 12, No.6, June 1991; pg 276-278  |    |
|                    | 119          | TSUDA, H. et al., Performance Analysis of a Dispersion Compensator Using Arrayed-Waveguide Gratings, Journal of Lightwave Technology, August 2000, Vol. 18-No.8, pp 1139-1147.  |    |

| Examiner Signature | Fir U.A    | Date Considered | 11/60/52 | Examiner Signature | RC Got |
|--------------------|------------|-----------------|----------|--------------------|--------|
| g                  | I have the |                 |          | 9                  |        |

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

|              |                        |                 |                |                      | COMPLETE IF KNOWN       |  |
|--------------|------------------------|-----------------|----------------|----------------------|-------------------------|--|
| Substitute f | for form 1449A/PTO     |                 |                | Application Number   | Unknown                 |  |
|              |                        | . DIOOL OOL     |                | Filing Date          | Herewith                |  |
|              | INFORMATION            |                 |                | First Named Inventor | Wang                    |  |
|              | STATEMENT BY APPLICANT |                 | Group Art Unit | Unknown              |                         |  |
|              | (use as many si        | neets necessar) | v)<br>_        | Examiner Name        | Unknown                 |  |
| SHEET        | 6                      | OF              | 6              | Docket Number        | LIGHT1900-2 (LIGHT1901) |  |

|                    |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |    |
|--------------------|--------------|---|----|
| Examiner Initials* | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | T6 |
| +                  | 120          | TSUDE, H. et al., Second- and Third-Order Dispersion Compensator Using a High-Resolution Arrayed Waveguide Grating, IEEE Photonics Technology Letters, May 1999, Vol. 11-No. 5, 569-571.  |    |
| •                  | 121          | VINCHANT et al, InP 4x4 Digital-Optical-Switch Module For Multiwavelength Cross-Connect Applications; OFC '95 Technical Digest, Thursday ThK2, pg 281-282   |    |
|                    | 122          | VINCHANT, J.F. et al., First Polarisation insensitive 4x4 Switch matrix on InP with Digital Optical Switches, TuB7.3, pg 341-344  |    |
| •                  | 123          | VINCHANT, J.F. et al., InP Digital Optical Switch: Key Element for Guided- Wave Photonic Switching; IEE Proceedings-J, VOL 140, No.5, Oct 1993; pg 301-307  |    |
| 1 -                | 124          | VINCHANT, J.F. et al., Low Driving Voltage or Current Digital Optical Switch on InP for Multiwavelength System Applications; Electronics Letters, VOL 28, No.12, Jun 4, 1992; pg 1135-1137  |    |
| •                  | 125          | WAKITA, K. et al., Long Wavelength Waveguide Multiple Quantum Well Optical Modulators; IEEE Journal of Quantum Electronics, VOL QE-23. No.12, Dec 1987, pg 2210-2215  |    |
|                    | 126          | WANRU, Z. et al., Total Internal Reflection Optical Switch with Injection Region Isolated by Oxygen Ion Implantation; pg 1-10   |    |
|                    | 127          | YAMADA, et al., Cross Talk Reduction in a 10 GHz Spacing Arrayed-Waveguide Grating by Phase-Error Compensation, Journal of Lightwave Technology, March 1998, Vol. 16-No. 3, pp. 364-371.  |    |
|                    | 128          | YANAGAWA, H. et at., Polarization-and Wavelength-Insensitive Guided-Wave Optical Switch with Semiconductor Y Junction; Journal of Lightwave Technology, VOL 8, No.8, Aug 1990, pg 1192-1197   |    |
|                    | 129          | YU, S. et al., High Speed All-Optical Packet Routing Using A Vertical Coupler Crosspoint Space Switch   |    |
|                    | 130          | YU, S. et al., Ultralow Cross-Talk, compact integrated optical crosspoint space switch arrays employing active InGaAsP/InP Vertical Waveguide Couplers, Integrated Optical Crosspoint Switch Arrays, Siyuan Yu et a, CPD24-2                                  |    |
|                    | 131          | ZENGERLE, R. et al., Tapered Twin Waveguides For Spot-Size Transformation In InP; TheB2-5; IOOC 95; pg 50-51  |    |
|                    | 132          | ZIRNGIBL, M. et al., Digitally Tunable Laser Based On The Integration Of A Waveguide Grating Multiplexer And An Optical Amplifier, IEEE Photonics Technology Letters, April 1994, Vol. 6-No. 4, pp 516-517  |    |
|                    | 133          | ZUCKER, J.E. et al., Strained Quantum Wells for Polarization-Independent Electrooptic Waveguide Switches, Journal of Lightwave Technology, VOL 10, No.12, Dec 1992, pg 1926-1930  |    |
| +                  |              |   | _  |
|                    |              |   | _  |
|                    |              |   | _  |
|                    |              |   | _  |
|                    |              |   | _  |
|                    | <b> </b>     |   |    |
|                    | 1            |   |    |

| · · · · · · · · · · · · · · · · · · · |        | <i>,</i> , , , , , , , , , , , , , , , , , , |               |
|---------------------------------------|--------|--|---------------|
| Examiner Signature                    | Robert | F GM 7 Date Consider                         | ered /1/00/07 |

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

PTO/SB/08B (08-00) proved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE Daperwork Reaction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

**COMPLETE IF KNOWN** Substitute for form 449A/FEB 1 0 2003 10/072811 **Application Number** Filing Date Feb. 8, 2002 First Named Inventor Joan Wang Group Art Unit 1763 (use as many sheets necessary) Roberts P. Culbert **Examiner Name** LIGHT1901 SHEET 2 OF 2 **Docket Number** 

|                       |              |                     |                     | F                                    | OREIGN PATENT DOCUMENT                       | TS .                            |   | LEE II |
|-----------------------|--------------|---------------------|---------------------|--------------------------------------|--|---------------------------------|---|--------|
|                       | 0            | F                   | oreign Patent Doo   | cument                               | Name of Patentee or Applicant                | Date of Publication             | Pages, Columns, Lines,                                |        |
| Examiner<br>Initials* | Cite<br>No.1 | Office <sup>3</sup> | Number <sup>4</sup> | Kind Code <sup>5</sup><br>(If known) | of Cited Document                            | of Cited Document<br>MM-DD-YYYY | Where Relevant Passages<br>or Relevant Figures Appear |        |
| Ki-                   | 26           | EPO                 | 0527604A2           |                                      | Litton Systems, Inc.                         | 17.02.1993                      |   |        |
| Ì                     | 27           | EPO                 | 0989430A2           |                                      | LG Cable & Machinery                         | 29.03.2000                      |   |        |
|                       | 28           | Japan               | 5-134124            |                                      | Nippon Telegr, & Teleph. Corp.               |                                 |   |        |
|                       | 29           | UK                  | GB2318211           |                                      | Toshiba Cambridge Research<br>Centre Limited | 15.04.1998                      |   |        |

|                       |              | OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS   |            |
|-----------------------|--------------|---|------------|
| Examiner<br>Initials* | Cite<br>No.1 | include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | <b>T</b> 6 |
| RE                    | 30           | AHMAD, R. U. et al., <i>Ultracompact Corner-Mirrors and T-Branches in Silicon-On-Insulator</i> , IEEE Photonics Technology Letters, Vol. 14, No. 1, January 2002, pp. 65-67.  |            |
|                       | 31           | CHOLLET, F. et al., Compact Evanescent Optical Switch and Attenuator with Electromechanical Actuation, IEEE Journal of Selected topics n Quantum Electronics, Vol. 5 No. 1, January/February 1999, pp. 52-59.   |            |
|                       | 32           | ENG, T., et al., Surface-Micromachined Epitaxial Silicon Cantilevers as Movable Optical Waveguides on Silicon-On-Insulator Substrates, Sensors and Actuators, A 49 (1995) 109-113.  |            |
|                       | 33           | ERMAN, M. et al., III-V Semiconductor Waveguides and Phase-Modulators: The Localized Vapor Phase Epitaxy Approach, SPIE Vol. 651 Integrated Optical Circuit Engineering III (1986) pp. 75-82.   |            |
|                       | 34           | FAUSTINI et al., Loss Analysis and Interference Effect in Semiconductor Integrated Waveguide Turning Mirror, IEEE Photonics Technology Letters, Vol. 8, No. 10, October 1996, pp. 1355-1357.  |            |
|                       | 35           | FISCHER, U. et al., 0.1 dB/cm Waveguide Losses in Single-Mode SOI Rib Waveguides, IEEE Photonics Technology Letters, Vol. 8, No. 5, May 1996, pp. 647-648.  |            |
|                       | 36           | Jeon, S. et al., Simple Fabrication Method for Vertical Taper Using Tensile Stress-Induced Mask and Selective Etching Technique, CLEO Pacific Rim '99 WR&, pp. 320-321.   |            |
|                       | 37           | MERSALI, B. et al., Theoretical and Experimental Studies of a Spot-Size Transformer with Integrated Waveguide for Polarization Insensitive Optical Amplifiers, Journal of Lightwave Technology, Vol. 13, No. 9, September 1995, pp. 1865-1872.                |            |
| I                     | 38           | MERSALI, B. et al., Optical-Mode Transformer: A III-V Circuit Integration Enabler, IEEE Journal of Selected Topics in Quantum Electronics, Vol. 3, No. 6, december 1997, pp. 1321-1331.   |            |
|                       | 39           | POHL, A. et al., Symmetrical Field-Matching Waveguide for Low-loss Fiber-chip Butt Coupling, J. Opt. Commun. 16 (1995) 4, 138-142.  |            |
|                       | 40           | REIMER, K. et al., Micro-Optic Fabrication Using One-Level Gray Tone Lithography, SPIE Vol. 3008, pp 279-288.   |            |
|                       | 41           | REIMER, K. et al., One-Level Gray-Tone Lithography Mask Data Preparation and Pattern Transfer, SPIE Vol. 2783, pp. 71-79.   |            |
|                       | 42           | STUDENKOV, P. V., et al., Efficient Coupling in Integrated Twin-Waveguide Lasers Using Waveguide Tapers, IEEE Photonics Technology Letters, VOL 11, No. 9, Sept. 1999; pg 1096-1098.  |            |
|                       | 43           | TOHMORI, Y. et al., Spot-Size Converted 1.3 um Laser with Butt-Jointed Selectively Grown Vertically Tapered Waveguide, Electronics Letters 22 <sup>nd</sup> June 1995 Vol. 31, No. 13, pp. 1069-1070.   |            |

| Examiner Signature | Robert & Cellet | Date Considered | 4/10/03 |  |
|--------------------|-----------------|-----------------|---------|--|
|--------------------|-----------------|-----------------|---------|--|

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.

PTO/SB/08B (08-00)

Approved for use through 10/31/2002. OMB 0651-003

U.S. Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE or the Operwork Reduction Action of 1995, no persons are required to response to a collection of information unless it contains a valid OMB number.

**COMPLETE IF KNOWN** 449A/PFEB 1 10/072811 **Application Number** Substitute for form **Filing Date** Feb. 8, 2002 First Named Inventor Joan Wang **Group Art Unit** 1763 Roberts P. Culbert **Examiner Name** OF 2 **Docket Number** LIGHT1901 SHEET

| Pages, Columns, Lines, Where                 | Date of Publication           |   |  | Γ                    |           |                       |
|--|-------------------------------|---|--|----------------------|-----------|-----------------------|
| Relevant Passages or Relevant Figures Appear | of Cited Document  MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | S. Patent Document  Sher Kind Code 2  (If known) | U.S. Paten<br>Number | Cite No.1 | Examiner<br>Initials* |
|  | 2-16-1971                     | Anderson, et al.                                |  | 3,563,630            | 1         | Ki                    |
|  | 8-21-1973                     | Nomura, et al.                                  |  | 3,753,803            | 2         | 1                     |
|  | 1-23-1990                     | Muschke   |  | 4,895,615            | 3         |                       |
|  | 2-27-1990                     | Muschke   |  | 4,904,617            | 4         |                       |
|  | 1-26-1993                     | Blonder, et al.                                 | ::   : -: : =:                                   | 5,182,787            | 5         |                       |
|  | 7-26-1994                     | Sakata, et al.                                  |  | 5,333,216            | 6         |                       |
|  | 3-12-1996                     | Laermer, et al.                                 |  | 5,498,312            | 7         |                       |
|  | 3-26-1996                     | Laermer, et al.                                 |  | 5,501,893            | 8         | <u> </u>              |
|  | 5-14-1996                     | Takeuchi  |  | 5,517,589            | 9         |                       |
|  | 12-3-1996                     | Zhang, et al                                    |  | 5,580,800            | 10        |                       |
|  | 7-28-1998                     | Goossen, et al.                                 |  | 5,786,925            | 11        |                       |
|  | 9-29-1998                     | Kaneko, et al.                                  |  | 5,814,239            | 12        |                       |
|  | 11-3-1998                     | Zhang, et al.                                   |  | 5,830,786            | 13        |                       |
|  | 11-17-1998                    | Soref   |  | 5,838,870            | 14        |                       |
|  | 12-1-1998                     | Yanagawa  |  | 5,843,848            | 15        |                       |
|  | 6-8-1999                      | Takeuchi  |  | 5,910,012            | 16        |                       |
|  | 4-18-2000                     | Bhardwaj, et al.                                |  | 6,051,503            | 17        |                       |
| _  | 8-29-2000                     | Maeda   |  | 6,110,290            | 18        |                       |
|  | 10-3-2000                     | DeOrnellas                                      | ·  | 6,127,277            | 19        |                       |
|  | 10-03-2000                    | Wang, et al.                                    |  | 6,127,278            | 20        |                       |
|  | 2-13-2001                     | Hopkins, et al.                                 |  | 6,187,685            | 21        |                       |
| _  | 9-4-2001                      | Laermer, et al.                                 |  | 6,284,148            | 22        | +                     |
|  | 9-11-2001                     | Kang, et al.                                    |  | 6,287,941            | 23        | 1                     |
|  | 11-27-2001                    | Deacon  |  | 6,324,204            | 24        | _;                    |
|  | 2-26-2002                     | Greywali  |  | 6,351,329            | 25        | ₹                     |
|  |                               |   | <del></del> _                                    | -                    |           |                       |
|  |                               |   |  | ·                    |           |                       |
| _  |                               |   |  | ·· <del>·</del>      |           |                       |
| 1  |                               |   |  | ·                    |           |                       |
|  |                               | <del></del>                                     |  | -                    |           |                       |
|  |                               |   | · <del></del> ··· ·                              |                      |           |                       |
|  |                               |   |  | <u> </u>             |           |                       |
|  |                               |   |  |                      |           |                       |
|  |                               |   |  |                      |           |                       |
|  | <u> </u>                      |   |  |                      |           |                       |

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup>Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two letter-code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard St. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language translation is attached.